



HYDROKARMA EXOPURE™ PRODUCT INSERT

PRODUCT PROFILE

HYDROKARMA EXOPURE™ is a premium amniotic fluid-derived cosmetic product meticulously refined to enhance skin beauty and optimize cosmetic procedures. Crafted from clinical-grade amniotic fluid, it contains amniotic fluid-derived exosomes and extracellular matrix proteins and undergoes stringent quality assurance testing to meet predefined specifications for identity, strength, quality, and safety, including microbial testing, endotoxin testing, sterility testing, human adventitious virus screening, and subvisible particulate analysis. The serum is packaged in high-quality glass vials with industry-leading low particle levels and minimal product-container interaction, reducing leachable chemicals, minimizing protein adsorption, and lowering the risk of chemical interactions between the container and the product.

PACKAGE CONTENTS

This package includes one vial of **HYDROKARMA EXOPURE™**, Certificate of Analysis and this Product Insert.

STORAGE REQUIREMENTS

Store **HYDROKARMA EXOPURE™** in its original packaging at -20°C or lower until use.

APPLICATIONS

HYDROKARMA EXOPURE™ is recommended for topical use in skin rejuvenation and cosmetics.

DONOR SAFETY & COMPLIANCE STANDARDS

The human amniotic fluid used for this product is donated under strict conditions. All donors undergo comprehensive screening and testing to confirm the absence of risk factors for infection from relevant communicable diseases. Testing is conducted by an independent CLIA and ISO certified and FDA registered laboratory. The third-party laboratory's testing adheres to cGMP qualified tests to screen for HIV 1 & 2, HBV, HCV, Treponema pallidum, HTLV I/II, WNV, and Cytomegalovirus (CMV). Medical records for each donor, reviewed by a licensed medical doctor, include a detailed medical history interview, physical examination, behavioral risk assessment, and additional relevant records to assess donor suitability.

MANUFACTURING

HYDROKARMA EXOPURE™ is manufactured in an FDA-registered laboratory following cGMP-based protocols to mitigate contamination risks. Quality assurance testing is performed on all product lots to meet FDA standards. Environmental monitoring, endotoxin, and sterility tests are conducted on all product lots to guarantee product integrity.



HYDROKARMA EXOPURE™ PRODUCT INSERT

ADVERSE REACTIONS

While complications are rare, they can occur at the application site and may include allergic reactions, potential transmission of infectious agents (viruses, bacteria, fungi), or diseases of unknown etiology. Any adverse reactions potentially linked to **HYDROKARMA EXOPURE™** should be promptly reported to HydroKarma, LLC at quality.control@hydrokarma.life.

HANDLING & USE INSTRUCTIONS

1. Maintain the product in a freezer at -20 degrees Celsius or colder.
 2. Upon removal, if the vial is damaged, do not use it and contact HydroKarma, LLC immediately at quality.control@hydrokarma.life.
 3. Open the outer packaging with gloved hands and clean the vial with 70% ethanol (EtOH).
 4. Thaw the vial quickly by rubbing it between gloved hands until completely thawed.
 5. Use a sterile needle and syringe to aseptically withdraw the product from the vial.
 6. Once thawed, the product must be used immediately or disposed of.
-

USAGE & COMPLIANCE DISCLAIMER

All provided information is for educational purposes and should not be construed as a warranty for the product. The responsibility for appropriate use and application rests with the end user. HydroKarma, LLC prohibits unauthorized transfer, resale, alteration, or mixing of the product. No claims are made that this product is a cure or treatment for any disease, condition, or injury.